




SHL




	B		e	ep	H		CTA		GC		i304		i
	mm	inch			mm	mm	mm	inch	kg	lb	REF.	kg/ud	
SHL 100	100	4"	1,5	4	47	1 6/7"	205	450	2/6866	0,33	2/17141	0,30	3 1 6
SHL 150	150	6"	1,5	4	53	2"	205	450	2/6867	0,39	2/17142	0,35	
SHL 200	200	8"	1,5	4	58	2 2/7"	205	450	2/6868	0,51	2/17143	0,46	
SHL 300	300	12"	1,5	6	68	2 2/3"	250	550	2/6869	0,69	2/17144	0,62	
SHL 400	400	16"	1,5	6	79	3 1/9"	250	550	2/6870	0,98	2/17145	0,88	
SHL 500	500	20"	2	6	89	3 1/2"	250	550	2/6871	1,16	2/17146	1,04	
SHL 600	600	24"	2	6	100	4"	250	550	2/6872	1,51	2/17147	1,36	

- B1 (2/4356-EZ / 2/6826-GC)
- CTBF (2/4362-EZ / 2/7132-GC)
- BFE (2/0863-GC) + B2 (2/6792-GC)



SHL 100/150/200




SHL 300/400/500/600

SHR



	B		e	ep	H		CTA		GC		i
	mm	inch			mm	mm	mm	inch	kg	lb	
SHR 300	300	12"	2,5	6	68	2 2/3"	480	1058	2/5525	1,29	3 0 4 / 3 1 6
SHR 400	400	16"	2,5	6	79	3 1/9"	365	804	2/1023	1,57	
SHR 500	500	20"	2,5	6	89	3 1/2"	300	661	2/1024	1,86	
SHR 600	600	24"	2,5	6	100	4"	285	628	2/1025	2,15	
SHR 700	700	28"	2,5	6	110	4 1/3"	270	595	2/1026	2,43	
SHR 800	800	32"	2,5	6	120	4 5/7"	265	584	2/1027	2,72	

- B1 (2/4356-EZ / 2/6826-GC)
- CTBF (2/4362-EZ / 2/7132-GC)
- BFE (2/0863-GC) + B2 (2/6792-GC)




SP2



	B		e	ep	CTA		GC	
	mm	inch			mm	mm	kg	lb
SP2 100	100	4"	2	4	165	364	2/8778	0,53
SP2 200	200	8"	2	4	141	311	2/8779	0,61
SP2 300	300	12"	2	4	117	258	2/8780	0,88

- B1 (2/4356-EZ / 2/6826-GC) + DIN9021 M6 (2/7023-EZ / 2/7022-i304)
- CFBFR41 (2/10284)
- DIN933 M8x25 (0/0318-i304) + TAD M8 (0/0494-EZ)



SPD2



	B		e	ep	CTA		GC	
	mm	inch			mm	mm	kg	lb
SPD2 100	100	4"	2	4	380	838	-	0,74
SPD2 200	200	8"	2	4	325	717	2/8781	1,07
SPD2 300	300	12"	2	4	265	591	2/8782	1,40
SPD2 400	400	16"	2	4	230	508	2/8783	1,73

- CFBFR41 (2/10284)
- DIN933 M8x25 (0/0318-i304) + TAD M8 (0/0494-EZ) + BFE (2/0863-GC)

