

# Product data sheet

Specifications



## FRONT PLATE VIGI NSX.TOGGLE / CVS.ROTARY - 4P 630A HORIZONTAL WIDTH650 4MODULES

03644

! To be discontinued on: 31 December 2022

! To be discontinued

### Main

Range	Prisma
Range of product	Prisma P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	Prisma (Prisma P) cubicle
Type of front plate	Cut-out

### Installed device

ComPact: fixed NSX400 without earth leakage protection - control: toggle - horizontal installation  
 ComPact: fixed NSX630 without earth leakage protection - control: toggle - horizontal installation  
 EasyPact: fixed CVS400 without earth leakage protection - control: direct front rotary handle - horizontal installation  
 EasyPact: fixed CVS630 without earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: plug-in NSX400 without earth leakage protection - control: toggle - horizontal installation  
 ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: fixed NSX400 without earth leakage protection - control: motor mechanism - horizontal installation  
 ComPact: plug-in NSX400 without earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: plug-in NSX400 without earth leakage protection - control: motor mechanism - horizontal installation  
 ComPact: plug-in NSX630 without earth leakage protection - control: toggle - horizontal installation  
 ComPact: fixed NSX630 without earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: fixed NSX630 without earth leakage protection - control: motor mechanism - horizontal installation  
 ComPact: plug-in NSX630 without earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: plug-in NSX630 without earth leakage protection - control: motor mechanism - horizontal installation  
 EasyPact: fixed CVS400 with earth leakage protection - control: direct front rotary handle - horizontal installation  
 EasyPact: fixed CVS630 with earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: fixed NSX400 with earth leakage protection - control: toggle - horizontal installation  
 ComPact: plug-in NSX400 with earth leakage protection - control: toggle - horizontal installation  
 ComPact: fixed NSX400 with earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: fixed NSX400 with earth leakage protection - control: motor mechanism - horizontal installation  
 ComPact: plug-in NSX400 with earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: plug-in NSX400 with earth leakage protection - control: motor mechanism - horizontal installation  
 ComPact: fixed NSX630 with earth leakage protection - control: toggle - horizontal installation  
 ComPact: plug-in NSX630 with earth leakage protection - control: toggle - horizontal installation  
 ComPact: fixed NSX630 with earth leakage protection - control: direct front rotary handle - horizontal installation  
 ComPact: fixed NSX630 with earth leakage protection - control: motor mechanism - horizontal installation  
 ComPact: plug-in NSX630 with earth leakage protection - control: direct front rotary handle - horizontal installation

<b>Poles description</b>	1 x 4P: mounting plate support: CVS400 horizontal installation 1 x 4P: mounting plate support: CVS630 horizontal installation 1 x 4P: mounting plate support: NSX400 horizontal installation 1 x 4P: mounting plate support: NSX630 horizontal installation
<b>Operating position</b>	Horizontal
<b>Complementary</b>	
<b>Enclosure/Cubicle description</b>	Cubicle - width 650 mm depth 400 mm
<b>Connection position</b>	Direct connection
<b>Number of vertical modules [50 mm]</b>	5
<b>Standards</b>	IEC 61439-2 IEC 61439-1
<b>Product certifications</b>	ASEFA
<b>Surface finish</b>	Smooth Matt
<b>Protective treatment</b>	Electrophoresis treatment and hot-polymerised polyester epoxy powder
<b>Colour</b>	White (RAL 9001)
<b>Height</b>	250 mm
<b>Net weight</b>	0.94 kg
<b>Quantity per set</b>	Set of 1

<b>Functional unit</b>	650 mm 400 mm Prisma P cubicle EasyPact CVS400 without fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle EasyPact CVS630 without fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed toggle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in toggle horizontal 4P 1 direct 4 650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 without fixed motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 without plug-in motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed toggle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in toggle horizontal 4P 1 direct 4 650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 without fixed motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 without plug-in motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle EasyPact CVS400 with fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle EasyPact CVS630 with fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 with fixed toggle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 with plug-in toggle horizontal 4P 1 direct 4 650 mm 400 mm Prisma P cubicle ComPact NSX400 with fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 with fixed motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 with plug-in direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX400 with plug-in motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 with fixed toggle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 with plug-in toggle horizontal 4P 1 direct 4 650 mm 400 mm Prisma P cubicle ComPact NSX630 with fixed direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 with fixed motor mechanism horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 with plug-in direct front rotary handle horizontal 4P 1 direct 5 650 mm 400 mm Prisma P cubicle ComPact NSX630 with plug-in motor mechanism horizontal 4P 1 direct 5
------------------------	--

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	26.0 cm
Package 1 Length	51.0 cm
Package 1 Weight	900.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	17.0 cm
Package 2 Width	27.0 cm
Package 2 Length	53.0 cm
Package 2 Weight	9.65 kg
Unit Type of Package 3	P12
Number of Units in Package 3	270
Package 3 Height	95.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	262.98 kg

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End of Life Information</a>
Halogen content performance	Halogen free plastic parts product

## Recommended replacement(s)

03644 is replaced by:

1x



FR.PL VIGI NSX.TOG/CVS.ROT -4P 630 HZ 4M  
LVS03644