KOBAN Ⓚ

FEATURES

✓ Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive aluminum material, excellent heating radiation performance.

CE   RoHS

TECHNICAL SPECIFICATIONS

	KTD-A01 8768050	KTD-A01 8768051	KTD-A01 8768052	KTD-A01 8768053
Lamp holder	GU10/GU5.3	GU10/GU5.3	GU10/GU5.3	GU10/GU5.3
Color	white	black	silver	gold
Lamp size	Ø79.5*22mm	Ø79.5*22mm	Ø79.5*22mm	Ø79.5*22mm
Cut out	Ø65mm	Ø65mm	Ø65mm	Ø65mm
Material	aluminium	aluminium	aluminium	aluminium

DIMENSIONS

KTD-A01

⌀79.5mm

22mm

info@grupotemper.com
tec@grupotemper.com
www.grupotemper.com

Temper Energy International, S.L.
Polígono Industrial, Nave 18, E-33199 Granda
Siero, Asturias, Spain
T: +34 985 793 204 / F: +34 985 986 341

KOBAN

FEATURES

✓ Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive aluminum material, excellent heating radiation performance.

CE

RoHS

TECHNICAL SPECIFICATIONS

	KTD-I02 8768054	KTD-I02 8768055	KTD-I02 8768056	KTD-I02 8768057
Lamp holder	GU10/GU5.3	GU10/GU5.3	GU10/GU5.3	GU10/GU5.3
Color	white	black	silver	gold
Lamp size	Ø90*29mm	Ø90*29mm	Ø90*29mm	Ø90*29mm
Cut out	Ø68mm	Ø68mm	Ø68mm	Ø68mm
Material	aluminium	aluminium	aluminium	aluminium

DIMENSIONS

KTD-I02

Ø90mm

29mm

info@grupotemper.com
tec@grupotemper.com
www.grupotemper.com

Temper Energy International, S.L.
Polígono Industrial, Nave 18, E-33199 Granda
Siero, Asturias, Spain
T: +34 985 793 204 / F: +34 985 986 341

temper

KOBAN k

FEATURES

✓ Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE RoHS

TECHNICAL SPECIFICATIONS

	KTD-P01 8768058
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø88*32mm
Cut out	Ø75mm
Material	PC

DIMENSIONS

KTD-P01

Ø88mm

32mm

temper

KOBAN

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE RoHS

TECHNICAL SPECIFICATIONS

	KTD-P02 8768059
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø88*32mm
Cut out	Ø75mm
Material	PC

DIMENSIONS

KTD-P02

Ø88mm

32mm

KOBAN Ⓚ

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE   RoHS ✓

TECHNICAL SPECIFICATIONS

	KTD-P03 8768060
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø90*29mm
Cut out	Ø75mm
Material	PC

DIMENSIONS

KTD-P03

Ø90mm

29mm

KOBAN K

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE RoHS

TECHNICAL SPECIFICATIONS

	KTD-P04 8768061
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø90*45mm
Cut out	Ø75mm
Material	PC

DIMENSIONS

KTD-P04

Ø90mm

45mm

KOBAN Ⓚ

FEATURES

✓ Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE RoHS

TECHNICAL SPECIFICATIONS

	KTD-P05 8768062
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø90*45mm
Cut out	Ø75mm
Material	PC

DIMENSIONS

KTD-P05

Ø90mm

45mm

temper

KOBAN

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE   RoHS

TECHNICAL SPECIFICATIONS

	KTD-P06 8768063
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø90*25mm
Cut out	Ø85mm
Material	PC

DIMENSIONS

KTD-P06

Ø90mm

25mm

KOBAN

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE   RoHS

TECHNICAL SPECIFICATIONS

	KTD-P07 8768064
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø93*53mm
Cut out	Ø85mm
Material	PC

DIMENSIONS

KTD-P07

53mm

93mm

93mm

KOBAN Ⓚ

FEATURES

✓ Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE   RoHS ✓

TECHNICAL SPECIFICATIONS

	KTD-P09 8768065
Lamp holder	GU10/GU5.3
Color	white
Lamp size	Ø93*53mm
Cut out	Ø85mm
Material	PC

DIMENSIONS

KTD-P09

53mm

Ø93mm

KOBAN

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE

RoHS

TECHNICAL SPECIFICATIONS

	KTD-P11 8768066
Lamp holder	GU10/GU5.3
Color	white
Lamp size	93*93*45mm
Cut out	75mm
Material	PC

DIMENSIONS

KTD-P11

KOBAN

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE   RoHS

TECHNICAL SPECIFICATIONS

	KTD-P12 8768067
Lamp holder	GU10/GU5.3
Color	white
Lamp size	173*93*45mm
Cut out	75*155mm
Material	PC

DIMENSIONS

KTD-P12

93mm

173mm

temper

KOBAN k

FEATURES

✓Simple and integrative structure design, easy in installation.
✓ Housing with high heating conductive plastic material, excellent heating radiation performance.

CE   RoHS

TECHNICAL SPECIFICATIONS

	KTD-P13 8768068
Lamp holder	GU10/GU5.3
Color	white
Lamp size	255*93*45mm
Cut out	75*235mm
Material	PC

DIMENSIONS

KTD-P13

93mm

255mm